ABM Marking Services LTD

Voice: 618-277-3773 Fax: 618-277-3782

Email: <u>abm@abmmarking.com</u> Website: <u>http://www.abmmarking.com/</u>

Products – ISM

Message from ISM:

ISM Enterprises is the only company in America focused on manufacturing carton closing staples, utilizing American talent, ingenuity and craftsmanship. We value, and share the commitment to keep manufactured goods, and the jobs they create, here in the United States. We take pride in providing you the finishing detail in safeguarding your valuable products with reliable ISM carton closing staples and tools.

Portable stapling machines designed to guarantee your products' safe, secure delivery by locking the cartons flaps tightly together with strong, steel, wide crown staples.



-	-/	DESCRIPTION	CROWN SIZE	LEG LENGTH	PRODUCT CODE NO.	SUGGESTED STAPLE	SHIPPING WEIGHT
		HC100T A5/8	1 3/8"	5/8"	26182111	16025012	6.4 lbs.
MANUAL		HC100T A3/4	1 3/8"	3/4"	26182121	16025013	6.4 lbs.
STICK	0	HB100T A7/8	1 3/8"	7/8"	26180031	16024014	6.4 lbs.
	Breed B.	HC150T C5/8	1 1/4"	5/8"	26182011	16025032	6.4 lbs.
		HC150T C3/4	1 1/4"	3/4"	26182021	16025033	6.4 lbs.
·e		AC100T A 5/8	1 3/8"	5/8"	26182511	16025012	7.6 lbs.
	PNEUMATIC	AC100T A 3/4	1 3/8"	3/4"	26182521	16025013	7.6 lbs.
	STICK	AB100T A 7/8	1 3/8"	7/8"	26180231	16024014	7.6 lbs.
-		AC150T C 5/8	1 1/4"	5/8"	26182311	16025032	7.6 lbs.
	A	AC150T C 3/4	1 1/4"	3/4"	26182321	16025033	7.6 lbs.
DUCUMATIO		3G100 #100 GREEN	1 1/4"	1"	28626101	16024085	15.0 lbs.
PNEUMATIC		3G100 #118 GREEN	1 1/4"	1 1/8"	28626181	16024087	15.0 lbs.
GIANT		3G100 #114 GREEN	1 1/4"	1 1/4"	28626141	16024086	15.0 lbs.
		3G100 #138 GREEN	1 1/4"	1 3/8"	28626381	16024088	15.0 lbs.
0	-	RC1000T 5/8 (CCC)	1 1/4"	5/8"	26182740	16115053	8.32 lbs.
	PNEUMATIC	RC1000T 3/4 (CCC)	1 1/4"	3/4"	26182750	16115054	8.32 lbs.
	ROLL	RA1000T 5/8 (ISM)	1 1/4"	5/8"	26180710	16115055	8.32 lbs.
		RA1000T 3/4 (ISM)	1 1/4"	3/4"	26180720	16115056	8.32 lbs.

Additional Product Information:

• Air Req'd: AB & RA@ .05 cu.ft./cycle @ 80 PSI / Giant@ .09 cu.ft./cycle @ 80 PSI

• Tool staple capacity shown within description



Our products come with a full one year warranty for all parts and services. We support our fastening tools with the complete line of ISM genuine parts. We also provide you support with a full in-house service and repair department within our Butler, PA manufacturing facility.



All ISM Enterprises staples and stitching wire are manufactured using 100% recycled steel and may be recycled or landfilled without harm to our fragile environment.

PACKAGING STAPLES			CARTON PACKAGING DATA				SK	ID DAT	۱
Staple/Crown Type	TYPE/DESCRIPTION Leg Size	PRODUCT CODE NO.	Ctn. M Qty.	No. of Boxes/Ctn.	Box M Qty.	Gross Lbs.	M Qty.	No. Ctn.	Gros Lbs
A STICK -	CCC Brand A 5/8 25M	16025012	25M	10	2.5M	53	1000M	40	216
	CCC Brand A 5/8 20M	16025412	20M	8	2.5M	43	1000M	50	219
1 3/8 CR	CCC Brand A 3/4 20M	16025013	20M	10	2.0M	47	1000M	50	239
	CCC Brand A 7/8 20M	16024014	20M	10	2.0M	51	1000M	50	259
O STICK	CCC Brand C 5/8 25M	16025032	25M	10	2.5M	40	1000M	40	164
C STICK -	CCC Brand C 5/8 20M	16025432	20M	8	2.5M	32	1000M	50	164
1 1/4 CR ①	CCC Brand C 3/4 20M	16025033	20M	10	2.0M	36	1000M	50	184
	① Manufactured also for u	use in compet	itive JK I	brand tools	& botton	ners.			
	Greenline #100 - 1"	16024085	12M	6	2.0M	47	420M	35	168
GIANT STICK -	Greenline #118 - 11/8"	16024087	12M	6	2.0M	50	420M	35	179
1 1/4 CR	Greenline #114 - 1 1/4"	16024086	12M	6	2.0M	54	420M	35	193
	Greenline #138 - 1 3/8"	16024088	12M	6	2.0M	58	420M	35	207
	SW-7437 5/8	16021022	25M	10	2.5M	43	1000M	50	219
SW STICK - 1 11/32 CR	SW-7437 3/4	16021023	20M	10	2.0M	38	1000M	50	19
Similar to Bostitch ②	SW-9040 5/8	16021042	20M	8	2.5M	44	1000M	50	224
and the second se	SW-9040 3/4	16021043	20M	10	2.0M	47	1000M	50	23
	SW-9040 7/8	16021044	20M	10	2.0M	50	1000M	50	25
	② Manufactured for use in	n competitive l	Bostitch	brand tools					
	RR1 - 5/8 1M	16115053	24M	24		39	960M	40	16
CCC ROLL -	RR1 - 3/4 1M	16115054	24M	24		42	960M	40	17
1 1/4 CR	RR5 - 5/8 5M	16115057	30M	6		48	1200M	40	19
	RR5 - 3/4 5M	16115058	30M	6		53	1200M	40	216
	GR1 - 5/8 1M	16111055	24M	24		49	960M	40	200
ISM ROLL -	GR1 - 3/4 1M	16111056	24M	24		53	960M	40	216
1 1/4 CB	GR5 - 5/8 5M	16111059	30M	6		60	1200M	40	24
	GR5 - 3/4 5M	16111060	30M	6		66	1200M	40	26
	SWC-7437 1/2 - 1M	16118091	24M	24		43	960M	40	17
SWC ROLL-	SWC-7437 1/2 - 4M	16118092	24M	6		43	960M	40	17
1 11/32 CR	SWC-7437 5/8 - 1M	16118093	24M	24		47	960M	40	19
Similar to Bostitch 2	SWC-7437 5/8 - 4M	16118094	24M	6		47	960M	40	19
	SWC-7437 3/4 - 1M	16118095	24M	24		52	960M	40	212
	SWC-7437 3/4 - 4M	16118096	24M	6		52	960M	40	212
	 2 Manufactured for use in SWC's are available 	n competitive l	Bostitch	brand tools		52	500M	40	21
	(.103" x .020") 3/8"	10302038	~58M	20	~2.9M	35	2795M	48	16
ISM PLIER	(.103" x .020") 1/2"	10302012	~44M	20	~2.2M	39	2096M	48	18
STAPLES	(.103" x .020") 5/8"	10302058	~50M	20	~2.5M	51	2895M	42	214

HOG RING	STAPLES	Similar to Part Code	ISM Part #	Gauge	Point	Coating	Qty. Staples	Cartons/ Pallet	Wt./ Carton	Ring Type	Open Ring Diameter	Pallet #
		SCL24	07306912S	15g	Sharp	Zn	10,000	100	12	С	3/4"	1200
HOG RING	and the second sec	SCL24	07306912B	15g	Blunt	Zn	10,000	100	12	С	3/4"	1200
	Contraction of the second seco											



Additional Product Information:

All references to "M" quantity designate 1,000 staples
 Carton weights shown have been rounded and may vary slightly from actual shipping weights



All our staples and stitching wire are made of 100% recycled steel and may be recycled or landfilled without harm to our fragile environment. Contains no ODCs and meets all standards for ASTM D1974 packaging, Coneg, F.D.A., and Proposition 65 legislation. Our staples are manufactured for use in our branded and competitive tools.



CARTON PACKAGING DATA SKID DATA No. of Ctns Per Skid PRODUCT DESCRIPTION WIRE CODE NO. No. of Coils Per Carton Net Weight Per Carton Net Wgt. Per Skid REF. Wire Size/Type 10 lb. 103 X 020 L 10# 16251243 5 47.5* 54 2565 10 lb. 103 X 020 G 10# 16251243C 5 47.5* 54 2565 10 lb. 103 X 020 G 10# 16252243 5 47.5* 54 2565 10 lb. 103 X 020 G 10# 16252243C 5 47.5* 54 2565 25 lb. 074 X 037 L 25# 16251311 2 46* 48 2208 25 lb. 074 X 037 G 25# 16252311 2 46* 48 2208 25 lb. 103 X 020 L 25# 16251343 2 46* 48 2208 25 lb. 103 X 020 G 25# 16252343 2 46* 48 2208 25 lb. 103 X 023 L 25# 16251344 2 46* 48 2208 25 lb. 103 x 023 G 25# 16252344 2 46* 48 2208 25 lb. 103 x 028 G 25# 16252345 2 46* 48 2208

STITCHING WIRES

Additional Product Information:

· Weight shown is minimum net. Determine actual gross shipping, multiply net weight x 1.055

. "L" designates liquor finish. "G" designates galvanized finish

• "C" at the end of wire code number designates cardboard core



Pre-closing carton bottoms or assembling corrugated trays and caps is easily accomplished with one of our foot or air-operated bottom or side arm stapling units.



	DESCRIPTION	CROWN SIZE	LEG LENGTH	PRODUCT CODE NO.	THROAT WIDTH	POST DEPTH	SHIPPING WEIGHT
	FC250C POST BOTTOMER	1 1/4"	All "C"	26610121	15"	39"	96.0 lbs.
FOOT POWERED	FC200A POST BOTTOMER	1 3/8"	All "A"	26610120	15"	39"	96.0 lbs.
STICK BOTTOMERS	FC250CS SIDE ARM BOTTOMER	1 1/4"	All "C"	26610123	15"	39"	96.0 lbs.
	FC200AS SIDE ARM BOTTOMER	1 3/8"	All "A"	26610122	15"	39"	96.0 lbs.
	PC250C POST BOTTOMER	1 1/4"	All "C"	26620121	15"	39"	82.0 lbs.
PNEUMATIC STICK	PC200A POST BOTTOMER	1 3/8"	All "A"	26620120	15"	39"	82.0 lbs.
BOTTOMERS	PC250CS SIDE ARM BOTTOMER	1 1/4"	All "C"	26620123	15"	39"	82.0 lbs.
	PC200AS SIDE ARM BOTTOMER	1 3/8"	All "A"	26620122	15"	39"	82.0 lbs.

Additional Product Information:

• Air Req'd: PC Units@ .09 cu. ft./cycle @ 80 PSI

Carton weights shown have been rounded and may vary slightly from actual shipping weights

· Bottomers can only be shipped via truck



PACKAGING EQUIPMENT FROM HAND HELD TO FULLY AUTOMATIC

Increase production output for F.O.L./P.O.L. and RSC style cartons utilizing one of our bumpactivated pneumatic bench staplers. Units feature our heavy-duty stationary roll head with 5,000 staple capacity for years of trouble-free operation.



		PRODUCT REFERENCE	DESCRIPTION	PRODUCT Code No.	STAPLE LEG
	PMT	РМТ	Bench/PMT SRC SINGLE	26663011	5/8
T	POST MOUNTED TO	РМТ	Post Mounted, Bump Trip	26663021	3/4
	EXISTING TABLE	PMT	Bench/PMT SRC DOUBLE	26663012	5/8
1		РМТ	Post Mounted, Bump Trip	26663022	3/4
1		CPS	Bench/CPS SRC SINGLE	26663611	5/8
	-	CPS	Bench Mounted, Bump Trip	26663621	3/4
		CPS	Bench/CPS SRC DOUBLE	26663612	5/8
CPS		CPS	Bench Mounted, Bump Trip	26663622	3/4
BENCH MOUNTED COMPLETE WITH TABLE		Kit Table End (To convert bench unit to free-standing model)	35344005		
		ACCESSORIES Order Separately	Kit Foot Trip (To convert bump trip to foot trip)	35343041	
			Kit Stainless Table Top (To convert CPS to Stainless Top)	35343039	
		PRODUCT REFERENCE	DESCRIPTION	PRODUCT CODE NO.	LEG
	ROLL STAPLE HEADS &	HEAD	HEAD SRC5 Universal Head (Without trip kit or pivots)		5/8 3/4
ACCES	ACCESSORIES	ACCESSORIES	Kit Pneumatic Trip (Bench type - trip & valve mount)	35307454	
		Order Separately	Kit Lower Head Accessories (Pivots & latch)	35263289	
		Additional Product Informa	tion.		

Additional Product Information:

MADE IN AMERICA

• All units F.O.B. Butler, Pennsylvania



DESCRIPTION	PRODUCT CODE NO.
Staple Puller (CCC)	36030102
Flapper	36030202
Botomit 9 x 18 BT2	36030302
Botomit 9 x 9 BT1	36030303
Oil/Air Tool Lubricant (32 oz.)	36799701
Grease/Magnalube-G 562	36799553
1/4" Female Coupler	36799520
1/4" Male Connector	36799522

· All products F.O.B. Butler, Pennsylvania

[•] Air Req'd: Each Head @ .07 cu.ft./cycle @ 80 PSI

Note: Minimum Order is 1 case or 1 piece, which will be shipped out from manufacturer directly to the customer in order to lower everyone's cost. Please feel free to contact us for further questions or prices.

ABM Marking Services LTD

ABM Marking Services LTD 2799 South Belt West Belleville, IL 62226

> Voice: 618-277-3773 Fax: 618-277-3782

Email: <u>abm@abmmarking.com</u> Website: <u>http://www.abmmarking.com/</u>