

## ABM Marking Services LTD

2799 South Belt West Belleville, IL 62226

Voice: 618-277-3773

Fax: 618-277-3782

Email: [abm@abmmarking.com](mailto:abm@abmmarking.com)

Website: <http://www.abmmarking.com/>

# Stencil Machines and parts

## Marsh Hand Operated Stencil Machines

The Marsh Stencil Machine makes the cleanest cuts with no tearing or pulling. Always providing sharp clear marks. And, it's made in the USA.

- Easy to read characters on the large, bold-character dial for error free operation.
- Built to be solid; so stable it doesn't need to be bolted to the work surface.
- Case-hardened dies have wear-resistant cutting edges.
- Zinc alloy punch is stronger, lasts longer than steel, fits closer, cuts cleaner and is more corrosion-resistant.
- **R and R-5 Model - 1"** R: 4 lines, any length; 14 characters/foot  
R-5: 5 lines, any length; 14 characters/foot



- **M model – 3/4"**: 4 lines, any length; 16 characters/foot
- **H model – 1/2"**: 6 lines, any length; 23 characters/foot
- **Q model – 1/4"**: 10 lines, any length; 43 characters/foot

Part Number	Description	Unit Price
H	STENCIL CUTTING MACHINE 1/2"	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
Q	STENCIL CUTTING MACHINE 1/4"	
R	STENCIL CUTTING MACHINE 1" 4 LINE	
R-5	STENCIL CUTTING MACHINE 1" 5 LINE	
S	STENCIL CUTTING MACHINE 3/4"	
RP01A-R	SCR, CAP HEX 3/8-16X1 1/4 (5)	
RP01A-SHQ	SCR, CAP HEX 5/16-18X1 (5)	
RP01D-SHQ	NUT, HEX JAM 6-32 (5)	
RP01PL-H	PLATE, TABLE	
RP01PL-Q	PLATE, TABLE	
RP01PL-S	PLATE, TABLE	
RP01X-H	BASE W/ SHAFT AND TABLE PLATE 1/2"	
RP01X-Q	BASE, W/ SHAFT AND TABLE PLATE, 1/4"	
RP01X-R	BASE, W/CENTER SHAFT-R 1"	
RP01X-R5	BASE, W/CENTER SHAFT-R-5 1"	
RP01X-S	BASE, W/ SHAFT AND TABLE PLATE 3/4"	
RP02-R	HOOD, MODEL R	
RP02-SHQ	HOOD, MODELS S,H,Q	
RP03-R	CARRIER, DIE 1"	
RP03-SHQ	CARRIER, DIE SHQ MACHINE	
RP04A	SCR, CAP HEX 5/16-18X5/8 (5)	
RP04B	DOWEL, HANDLE (2)	

RP04-R	CARRIER,PUNCH (1")
RP04-SHQ	CARRIER, PUNCH-SHQ MACHINE
RP05X-R	HOLDER, PUNCH & SHANK ASSY
RP05X-SHQ	HOLDER, PUNCH & SHANK ASSY
RP06B-R	SCR, PUNCH 12-32X7/32 (5)
RP06B-SHQ	SCR, PUNCH 10-32X3/16 (5)
RP06C-R	SCR, PAN PHIL 1/4-28X5/8 (5)
RP06C-SHQ	SCR, PAN PHIL 10-32X1/2 (5)
RP07X	WHEEL ASSY, HAND
RP08	HOLDER, DIAL
RP08B	SCR, SQ SET 5/16-18X5/8
RP09	BUSHING, ROCKER (2)
RP09A	SCR, CAP HEX 3/8-16X1 (5)
RP10	CAM ASSY, CENTERING
RP12-R	LINK
RP12-SHQ	LINK
RP13A	WSHR, .440X.619X.090 (5)
RP14	ROCKER ASSY
RP15	ROLL ASSY, LOWER FEED
RP15C	BAR, ADJUSTMENT
RP15D	SPACER, (5)
RP15G	SCR, RD SLOT SEM 10-32X3/4 (5)
RP15GH	SCR, SHCS, 10-32X3/4, GRADE 5,(5)
RP15N	NUT, HEX JAM 10-32 (5)
RP16A	PIN, SFT STOP (5)
RP16D	STUD, SPRING (2)
RP16E	COLLAR, SPRING STUD

RP16G	CAP, ELCLTLT SFT HANDLE (5)
RP16-R	SFT ASSY, ECC
RP16S	SPRING, FEED ROLL (5)
RP16-SHQ	SFT ASSY, ECC
RP16W	WSHR, .509X7/8X1/32 (5)
RP17	BUTTON, RELEASE & SHAFT
RP17S	SPRING, RELEASE BUT (5)
RP18	PAWL, STOP
RP18A	SCR, STOP PAWL
RP18B	PIN, RELEASE BUT(2)
RP19A	WICK, CENTER SFT OIL (5)
RP19W1	WSHR, .005 (5)
RP19W2	WSHR, .014 (5)
RP20X	HANDLE ASSY, OPERATING. R,S,H,Q.
RP21	WSHR, 9/32X15/16X3/32 (5)
RP22	SFT, HANDLE
RP22A	NUT, HEX 1/2-20X5/16 (5)
RP22B	WSHR, LK INT TOOTH 1/2 (5)
RP23A	BUSHING, FEED WHEEL (4)
RP23C	WSHR, SHIM (5)
RP23LB-H	WHEEL ASSY, FEED LEFT-MODEL H 1/2"
RP23LB-Q	WHEEL ASSY, FEED LEFT-MODEL Q 1/4"
RP23LB-R	WHEEL ASSY, FEED LEFT-MODEL R 1"
RP23LB-S	WHEEL ASSY, FEED LEFT-MODEL S 3/4"
RP23LX-H	WHEEL ASSY, FEED LEFT W/BSHG
RP23LX-Q	WHEEL ASSY, FEED LEFT W/BSHG
RP23LX-R	WHEEL ASSY, FEED LEFT W/BSHG

RP23LX-S	WHEEL ASSY, FEED LEFT W/BSHG
RP23R	WHEEL, FEED RIGHT
RP23RX	WHEEL ASSY, FEED RIGHT W/BSHG
RP23W	WSHR, FEED WHEEL (5)
RP24	FOLLOWER, SPACING CAM (2)
RP25E	STUD, SPACING STUD (5)
RP25-H	CAM ASSY, SPACING
RP25-Q	CAM ASSY, SPACING
RP25-R	CAM ASSY, SPACING
RP25S	SPRING, SPACING FINGER (3)
RP25-S	CAM ASSY, SPACING
RP26S-R	SPRING, PUNCH (5)
RP26S-SHQ	SPRING, PUNCH (5)
RP26W-R	WSHR, 1/2X7/8X.055 (5)
RP26W-SHQ	WSHR, 7/16X3/4X.055 (5)
RP27	RETR, SPRING (5)
RP27944	GRIP, HANDLE 7/8" FLANGELESS
RP28	ROCKER ASSY, CENTERING
RP29	STUD, CENTERING ROCKER (3)
RP30S	SPRING, CENTERING ARM (2)
RP30X-R	ARM ASSY, CENTERING
RP30X-SHQ	ARM ASSY, CENTERING
RP31	PLUNGER ASSY
RP32	DIAL BLANK, MANUAL
RP32A	SCR, TRUSS PHIL 6-32X3/16 (5)
RP33	STRIPPER ASSEMBLY
RP33101	THREADED CENTER SHAFT, LOCKWASHER,NUT

RP35	ARM LINER ASSY, CENTERING
RP35A	ARM LINER, CENTERING
RP35B	O-RING, 9/16X3/4 (5)
RP35SW	WSHR, 3/8X1X010 (5)
RP35W	WSHR, 3/8X7/8X5/64 (5)
RP36	BUSHING, SPACING CAM (2)
RP36B	SCR, CAP HEX 1/4-20X1 1/4 (5)
RP37	STUD, SPRING
RP37S	SPRING, HANDLE (3)
RP38	SCR, FIL SLOT 1/4-20X3/4 (5)
RP38A	NUT, HEX 1/4-20 (5)
RP38B	WSHR, LK EXT TOOTH 1/5 (5)
RP42	SCR, SET SOCK 3/8-24X7/8
RP43	PLATE, FRONT COVER
RP43A	SCR, PAN PHIL 8-32X3/8 (5)
RP44	STOP, SPACING
RP45	BUTTON, SPACING (3)
RP46	SFT, SPACING STOP (2)
RP46S	SPRING, SPACING BUT (5)
RP47	SCR, SQ SET 5/16-18X3/4 (5)
RP47A	NUT, HEX JAM 5/16-18 (5)
RP47B	WSHR, LK INT TOOTH 5/16 (5)
RP48-R	SCREW, SET (1")
RP48-SHQ	SCREW, SET (1/4,1/2,3/4")
RP49C-R	CARTON, STEN MACH 4 MANUAL
RP49C-SHQ	CARTON, STEN MACH QSH MANUAL
RP51N	NUT, HEX 5/16-24 (5)

RP77	FOOT, RUBBER
RP78-R	WSHR, 1/2X3/4 FELT (5)
RP78-SHQ	WSHR, 7/16X5/8 FELT (5)
RP79	WSHR, 3/16X7/16 FELT (5)
RPCHOOK	HOOK, CLEANING
RPH5DP	PUNCH & DIE, 1/2" (40)
RPH5DP--	PUNCH & DIE, 1/2" DASH
RPH5DP-/	PUNCH & DIE, 1/2" SLASH
RPH5DP-2	PUNCH & DIE, 1/2" FIGURE 2
RPH5DP-3	PUNCH & DIE, 1/2" FIGURE 3
RPH5DP-4	PUNCH & DIE, 1/2" FIGURE 4
RPH5DP-5	PUNCH & DIE, 1/2" FIGURE 5
RPH5DP-6	PUNCH & DIE, 1/2" FIGURE 6
RPH5DP-7	PUNCH & DIE, 1/2" FIGURE 7
RPH5DP-8	PUNCH & DIE, 1/2" FIGURE 8
RPH5DP-9	PUNCH & DIE, 1/2" FIGURE 9
RPH5DP-A	PUNCH & DIE, 1/2" LETTER A
RPH5DP-AMP	PUNCH & DIE, 1/2" AMPERSAND
RPH5DP-APO	PUNCH & DIE, 1/2" APOSTROPHE
RPH5DP-B	PUNCH & DIE, 1/2" LETTER B
RPH5DP-C	PUNCH & DIE, 1/2" LETTER C
RPH5DP-COMMA	PUNCH & DIE, 1/2" COMMA
RPH5DP-D	PUNCH & DIE, 1/2" LETTER D
RPH5DP-E	PUNCH & DIE, 1/2" LETTER E
RPH5DP-F	PUNCH & DIE, 1/2" LETTER F
RPH5DP-G	PUNCH & DIE, 1/2" LETTER G
RPH5DP-H	PUNCH & DIE, 1/2" LETTER H

RPH5DP-I	PUNCH & DIE, 1/2" LETTER I
RPH5DP-J	PUNCH & DIE, 1/2" LETTER J
RPH5DP-K	PUNCH & DIE, 1/2" LETTER K
RPH5DP-L	PUNCH & DIE, 1/2" LETTER L
RPH5DP-M	PUNCH & DIE, 1/2" LETTER M
RPH5DP-N	PUNCH & DIE, 1/2" LETTER N
RPH5DP-O	PUNCH & DIE, 1/2" LETTER O
RPH5DP-P	PUNCH & DIE, 1/2" LETTER P
RPH5DP-PER	PUNCH & DIE, 1/2" FIG PERIOD
RPH5DP-Q	PUNCH & DIE, 1/2" LETTER Q
RPH5DP-R	PUNCH & DIE, 1/2" LETTER R
RPH5DP-S	PUNCH & DIE, 1/2" LETTER S
RPH5DP-SPN	PUNCH & DIE, 1/2" SPANISH N
RPH5DP-T	PUNCH & DIE, 1/2" LETTER T
RPH5DP-U	PUNCH & DIE, 1/2" LETTER U
RPH5DP-V	PUNCH & DIE, 1/2" LETTER V
RPH5DP-W	PUNCH & DIE, 1/2" LETTER W
RPH5DP-X	PUNCH & DIE, 1/2" LETTER X
RPH5DP-Y	PUNCH & DIE, 1/2" LETTER Y
RPH5DP-Z	PUNCH & DIE, 1/2" LETTER Z
RPQ5DP	PUNCH & DIE, 1/4" (40)
RPQ5DP--	PUNCH & DIE, 1/4" DASH
RPQ5DP-/	PUNCH & DIE, 1/4" SLASH
RPQ5DP-2	PUNCH & DIE, 1/4" FIGURE 2
RPQ5DP-3	PUNCH & DIE, 1/4" FIGURE 3
RPQ5DP-4	PUNCH & DIE, 1/4" FIGURE 4
RPQ5DP-5	PUNCH & DIE, 1/4" FIGURE 5



RPQ5DP-6	PUNCH & DIE, 1/4" FIGURE 6	
RPQ5DP-7	PUNCH & DIE, 1/4" FIGURE 7	
RPQ5DP-8	PUNCH & DIE, 1/4" FIGURE 8	
RPQ5DP-9	PUNCH & DIE, 1/4" FIGURE 9	
RPQ5DP-A	PUNCH & DIE, 1/4" LETTER A	
RPQ5DP-AMP	PUNCH & DIE, 1/4" AMPERSAND	
RPQ5DP-APO	PUNCH & DIE, 1/4" APOSTROPHE	
RPQ5DP-B	PUNCH & DIE, 1/4" LETTER B	
RPQ5DP-C	PUNCH & DIE, 1/4" LETTER C	
RPQ5DP-COMMA	PUNCH & DIE, 1/4" COMMA	
RPQ5DP-D	PUNCH & DIE, 1/4" LETTER D	
RPQ5DP-E	PUNCH & DIE, 1/4" LETTER E	
RPQ5DP-F	PUNCH & DIE, 1/4" LETTER F	
RPQ5DP-G	PUNCH & DIE, 1/4" LETTER G	
RPQ5DP-H	PUNCH & DIE, 1/4" LETTER H	
RPQ5DP-I	PUNCH & DIE, 1/4" LETTER I	
RPQ5DP-J	PUNCH & DIE, 1/4" LETTER J	
RPQ5DP-K	PUNCH & DIE, 1/4" LETTER K	
RPQ5DP-L	PUNCH & DIE, 1/4" LETTER L	
RPQ5DP-M	PUNCH & DIE, 1/4" LETTER M	
RPQ5DP-N	PUNCH & DIE, 1/4" LETTER N	
RPQ5DP-O	PUNCH & DIE, 1/4" LETTER O	
RPQ5DP-P	PUNCH & DIE, 1/4" LETTER P	
RPQ5DP-PER	PUNCH & DIE, 1/4" FIG PERIOD	
RPQ5DP-Q	PUNCH & DIE, 1/4" LETTER Q	
RPQ5DP-R	PUNCH & DIE, 1/4" LETTER R	
RPQ5DP-S	PUNCH & DIE, 1/4" LETTER S	

RPQ5DP-T	PUNCH & DIE, 1/4" LETTER T
RPQ5DP-U	PUNCH & DIE, 1/4" LETTER U
RPQ5DP-V	PUNCH & DIE, 1/4" LETTER V
RPQ5DP-W	PUNCH & DIE, 1/4" LETTER W
RPQ5DP-X	PUNCH & DIE, 1/4" LETTER X
RPQ5DP-Y	PUNCH & DIE, 1/4" LETTER Y
RPQ5DP-Z	PUNCH & DIE, 1/4" LETTER Z
RPR5DP	PUNCH & DIE, 1" (40)
RPR5DP--	PUNCH & DIE, 1" DASH
RPR5DP-/	PUNCH & DIE, 1" SLASH
RPR5DP-2	PUNCH & DIE, 1" FIGURE 2
RPR5DP-3	PUNCH & DIE, 1" FIGURE 3
RPR5DP-4	PUNCH & DIE, 1" FIGURE 4
RPR5DP-5	PUNCH & DIE, 1" FIGURE 5
RPR5DP-6	PUNCH & DIE, 1" FIGURE 6
RPR5DP-7	PUNCH & DIE, 1" FIGURE 7
RPR5DP-8	PUNCH & DIE, 1" FIGURE 8
RPR5DP-9	PUNCH & DIE, 1" FIGURE 9
RPR5DP-A	PUNCH & DIE, 1" LETTER A
RPR5DP-AMP	PUNCH & DIE, 1" AMPERSAND
RPR5DP-APO	PUNCH & DIE, 1" APOSTROPHE
RPR5DP-B	PUNCH & DIE, 1" LETTER B
RPR5DP-C	PUNCH & DIE, 1" LETTER C
RPR5DP-COMMA	PUNCH & DIE, 1" COMMA
RPR5DP-D	PUNCH & DIE, 1" LETTER D
RPR5DP-E	PUNCH & DIE, 1" LETTER E
RPR5DP-F	PUNCH & DIE, 1" LETTER F

RPR5DP-G	PUNCH & DIE, 1" LETTER G
RPR5DP-H	PUNCH & DIE, 1" LETTER H
RPR5DP-I	PUNCH & DIE, 1" LETTER I
RPR5DP-J	PUNCH & DIE, 1" LETTER J
RPR5DP-K	PUNCH & DIE, 1" LETTER K
RPR5DP-L	PUNCH & DIE, 1" LETTER L
RPR5DP-M	PUNCH & DIE, 1" LETTER M
RPR5DP-N	PUNCH & DIE, 1" LETTER N
RPR5DP-O	PUNCH & DIE, 1" LETTER O
RPR5DP-P	PUNCH & DIE, 1" LETTER P
RPR5DP-PER	PUNCH & DIE, 1" FIGURE PERIOD
RPR5DP-Q	PUNCH & DIE, 1" LETTER Q
RPR5DP-R	PUNCH & DIE, 1" LETTER R
RPR5DP-S	PUNCH & DIE, 1" LETTER S
RPR5DP-SPN	PUNCH & DIE, 1" SPANISH N
RPR5DP-T	PUNCH & DIE, 1" LETTER T
RPR5DP-U	PUNCH & DIE, 1" LETTER U
RPR5DP-V	PUNCH & DIE, 1" LETTER V
RPR5DP-W	PUNCH & DIE, 1" LETTER W
RPR5DP-X	PUNCH & DIE, 1" LETTER X
RPR5DPX-70	PUNCH & DIE SET, 1" LETTER API LOGO
RPR5DP-Y	PUNCH & DIE, 1" LETTER Y
RPR5DP-Z	PUNCH & DIE, 1" LETTER Z
RPS5DP	PUNCH & DIE, 3/4" (40)
RPS5DP--	PUNCH & DIE, 3/4" DASH
RPS5DP-/	PUNCH & DIE, 3/4" SLASH
RPS5DP-2	PUNCH & DIE, 3/4" FIGURE 2

RPS5DP-3	PUNCH & DIE, 3/4" FIGURE 3	
RPS5DP-4	PUNCH & DIE, 3/4" FIGURE 4	
RPS5DP-5	PUNCH & DIE, 3/4" FIGURE 5	
RPS5DP-6	PUNCH & DIE, 3/4" FIGURE 6	
RPS5DP-7	PUNCH & DIE, 3/4" FIGURE 7	
RPS5DP-8	PUNCH & DIE, 3/4" FIGURE 8	
RPS5DP-9	PUNCH & DIE, 3/4" FIGURE 9	
RPS5DP-A	PUNCH & DIE, 3/4" LETTER A	
RPS5DP-AMP	PUNCH & DIE, 3/4" AMPERSAND	
RPS5DP-API	PUNCH & DIE, 3/4" API LOGO	
RPS5DP-APO	PUNCH & DIE, 3/4" APOSTROPHE	
RPS5DP-B	PUNCH & DIE, 3/4" LETTER B	
RPS5DP-C	PUNCH & DIE, 3/4" LETTER C	
RPS5DP-COMMA	PUNCH & DIE, 3/4" COMMA	
RPS5DP-D	PUNCH & DIE, 3/4" LETTER D	
RPS5DP-E	PUNCH & DIE, 3/4" LETTER E	
RPS5DP-F	PUNCH & DIE, 3/4" LETTER F	
RPS5DP-G	PUNCH & DIE, 3/4" LETTER G	
RPS5DP-H	PUNCH & DIE, 3/4" LETTER H	
RPS5DP-I	PUNCH & DIE, 3/4" LETTER I	
RPS5DP-J	PUNCH & DIE, 3/4" LETTER J	
RPS5DP-K	PUNCH & DIE, 3/4" LETTER K	
RPS5DP-L	PUNCH & DIE, 3/4" LETTER L	
RPS5DP-M	PUNCH & DIE, 3/4" LETTER M	
RPS5DP-N	PUNCH & DIE, 3/4" LETTER N	
RPS5DP-O	PUNCH & DIE, 3/4" LETTER O	
RPS5DP-P	PUNCH & DIE, 3/4" LETTER P	

RPS5DP-PER	PUNCH & DIE, 3/4" FIG PERIOD
RPS5DP-Q	PUNCH & DIE, 3/4" LETTER Q
RPS5DP-R	PUNCH & DIE, 3/4" LETTER R
RPS5DP-S	PUNCH & DIE, 3/4" LETTER S
RPS5DP-SPN	PUNCH & DIE, 3/4" SPANISH N
RPS5DP-T	PUNCH & DIE, 3/4" LETTER T
RPS5DP-U	PUNCH & DIE, 3/4" LETTER U
RPS5DP-V	PUNCH & DIE, 3/4" LETTER V
RPS5DP-W	PUNCH & DIE, 3/4" LETTER W
RPS5DP-X	PUNCH & DIE, 3/4" LETTER X
RPS5DPX-06	PUNCH & DIE, SPECIAL 3/4" PLUS SIGN
RPS5DPX-75	PUNCH & DIE SET, SPECIAL 3/4" CIRCLE N
RPS5DP-Y	PUNCH & DIE, 3/4" LETTER Y
RPS5DP-Z	PUNCH & DIE, 3/4" LETTER Z

## Marsh Electronic Stencil Cutter and accessories

- **The Marsh Stencil Express** is an electronic stencil cutting system that is computer driven with state of the art software designed specifically to meet your customers varied stenciling requirements. With over 35 fonts available on your PC and compatible with almost any material, any need is now a stencil option.
- With the Marsh Stencil Express system you can cut .011 oilboard, polyethylene, sandblast, stencil mask, vinyl, magnetic and others.



Part Number	Description	Unit Price
SE100	STENCIL EXPRESS ELECTRONIC STENCIL CUTTER	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
SE102	BLADE, 45 DEG.(USE W/EXPRESS CUT)	
SE103	BLADE, 60 DEG. (USE W/OILBOARD)	
SE104	CUTTER STAND	
SE105	STENCIL EXPRESS SOFTWARE	
SE105M	SE100 S/WARE MASTER	
SE105-UPG	SE100 S/WARE UPGRADE TO MASTER VERSION	
SE106	MAGNETIC STENCIL MATERIAL 24" X 50' - .020" THICK	
SE100-NS	STEN.EXP. ELECTR.STEN.CUTTER-NO SOFTWARE	
SERP105200	BLADE HOLDER	
SERP105722	CABLE, WHITE RIBBON	
SERP105953	BELT, TIMING	
SERP106254	CARRIAGE FLEXURE	
SERP106381	BELT, DRIVE	
SERP106457	FLEXURE PLATE	
SERP107137	3RD CHART WHEEL	
SERP107280	GRIT SHAFT	
SERP107307	CUTTER STRIP, STENCIL EXPRESS	
SERP108901	TENSIONER	
SERP109059	PC BOARD W/ COIL FOR SE100 STENCIL EXPRESS	
SERP109068-90	CARRIAGE, SE100 STENCIL EXPRESS	
SERP111197-80	FLEXURES FOR SE100 (PKG OF 2)	

SE101	EXPRESS-CUT POLY STENCIL MATERIAL 24" WIDE
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX
OB11-44-RL-12-2	OILBOARD, NAT11PT, 12" X 100' - ROLL QTY OF 2 PER BOX
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL
OB11-44-RL-24	OILBOARD, NAT11PT, 24" X 100' - ROLL
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL
OBC11-44-RL-24	OILBOARD, CANARY 11PT, 24" X 100' - ROLL

## Super Size Stencil Machine and accessories

- Sharp, clean stencil cuts.
- Cuts a complete stencil in a turn of the handle. Duplicates Stencils even faster.
- Comes complete with stencil machine, stand, and cylinder.
- Over 20 character sizes available; character sets sold separately.
- 79 piece font set for 3" to 10" characters available (70 and 100 mm for metric).
- 111 piece font set for 1/4" to 2" available (20, 30, 40 and 50 mm for metric).



Part Number	Description	Unit Price
SS	SUPER SIZE, TABLE AND CYLINDER	<p style="text-align: center;"><b>Please send email to</b>  <a href="mailto:abm@abmmarking.com">abm@abmmarking.com</a> <b>for price.</b></p>
RPSS-02	SET SCREW, 10MM X 30MM	
RPSS-04	SCREWS, TF4 X 10	
RPSS-06	BRACE, CENTER SUPERSIZE	
RPSS-09	SCREWS, TC 10 X 30	
RPSS-11	STEEL WASHERS 2 X 8	
RPSS-13	SCREWS, TC 8 X 20	
RPSS-16	BOLT, HEX SUPERSIZE	
RPSS-17	FOOT, RUBBER	
RPSS-20	ROLLER, 0144	
RPSS-22	BRG, 6005 (ID.Nr.28)	
RPSS-24	PINION, SPUR D12-2	
RPSS-25	AXLE, STUBB'S STEEL	
RPSS-26	PIN, SPLIT 4X20	
RPSS-28	BRG, 6005 (ID.Nr. 22)	
RPSS-29	PIN, SPLIT 5X50 (5)	
RPSS-31	HANDLE, WHEEL	
RPSS-32	WHEEL	
RPSS-33	BRG, JAW	
RPSS-36	BRG, 6001 ID 10	
RPSS-40	BAR, SLIDE (UNIT)	
RPSS-41	FOOT, SLIDE BAR	
RPSS-STTY	TRAY, SUPERSIZE SETTING	
SS1/2IN	CHAR SET, SS 1/2IN, 111 PC	



SS1/2IN-4	CHAR, SS 1/2IN, FIG 4
SS1/2IN-E	CHAR, SS 1/2IN, LET E
SS1/2IN-O	CHAR, SS 1/2IN, LET O
SS1/4IN	CHAR SET, SS 1/4IN, 111 PC
SS1/4IN-U	CHAR, SS 1/4IN, LET U
SS1-1/2IN	CHAR SET, SS 1 1/2IN, 111 PC
SS1-1/2IN-%	CHAR, SS1-1/2IN, FIG "%"
SS1-1/2IN-/	CHAR, SS1-1/2IN, FIG /
SS1-1/2IN-0	CHAR, SS1-1/2IN, FIG 0
SS1-1/2IN-1	CHAR, SS1-1/2IN, FIG 1
SS1-1/2IN-2	CHAR, SS1-1/2IN, FIG 2
SS1-1/2IN-3	CHAR, SS1-1/2IN, FIG 3
SS1-1/2IN-4	CHAR, SS1-1/2IN, FIG 4
SS1-1/2IN-5	CHAR, SS 1-1/2IN FIG "5"
SS1-1/2IN-6	CHAR, SS 1 1/2IN, FIG 6
SS1-1/2IN-7	CHAR, SS 1-1/2IN FIG "7"
SS1-1/2IN-8	CHAR, SS1-1/2IN, FIG 8
SS1-1/2IN-9	CHAR, SS1-1/2IN, FIG 9
SS1-1/2IN-A	CHAR, SS1-1/2IN, FIG " A"
SS1-1/2IN-AMP	CHAR, SS1-1/2IN, FIG "AMP"
SS1-1/2IN-B	SS1-1/2IN-B
SS1-1/2IN-D	CHAR, SS1-1/2IN, FIG "D"
SS1-1/2IN-DEG	CHAR, SS1-1/2IN, FIG "DEG"
SS1-1/2IN-E	CHAR, SS 1 1/2IN, LET E
SS1-1/2IN-F	CHAR, SS 1-1/2IN FIG "F"
SS1-1/2IN-G	CHAR, SS1-1/2IN, FIG "G"
SS1-1/2IN-H	CHAR, SS1-1/2IN, LET "H"

SS1-1/2IN-J	CHAR, SS 1-1/2IN FIG "J"
SS1-1/2IN-K	CHAR, SS 1-1/2IN FIG "K"
SS1-1/2IN-L	CHAR,SS1-1/2IN, FIG "L"
SS1-1/2IN-M	CHAR, SS 1-1/2IN FIG "M"
SS1-1/2IN-N	CHAR, SS 1-1/2IN FIG "N"
SS1-1/2IN-P	CHAR, SS 1-1/2IN FIG "P"
SS1-1/2IN-PER	CHAR, SS1-1/2IN, FIG " PER"
SS1-1/2IN-Q	CHAR, SS1-1/2IN, FIG "Q"
SS1-1/2IN-R	CHAR, SS1-1/2IN, FIG "R"
SS1-1/2IN-S	CHAR, SS 1-1/2IN FIG "S"
SS1-1/2IN-T	CHAR,SS1-1/2IN, FIG"T"
SS1-1/2IN-U	CHAR,SS1-1/2IN, FIG "U"
SS1-1/2IN-V	CHAR,SS1-1/2IN, FIG "V"
SS1-1/2IN-W	CHAR, SS 1-1/2IN FIG "W"
SS1-1/2IN-X	CHAR, SS 1 1/2IN, LET X
SS1-1/2IN-Y	CHAR, SS1-1/2IN, FIG "Y"
SS1-1/2IN-Z	CHAR, SS1-1/2IN, FIG "Z"
SS1-3/4IN--	CHAR, SS1-3/4IN, FIG -
SS1-3/4IN-7	CHAR, SS1-3/4IN, FIG 7
SS1-3/4IN-8	CHAR, SS1-3/4IN, FIG 8
SS1-3/4IN-E	CHAR, SS1-3/4IN, LET "E"
SS1-3/4IN-F	CHAR, SS1-3/4IN, LET "F"
SS1-3/4IN-N	CHAR, SS1-3/4IN, LET " N"
SS1-3/4IN-O	CHAR, SS1-3/4IN, LET "O"
SS1-3/4IN-P	CHAR, SS1-3/4IN, LET " P"
SS1-3/4IN-T	CHAR, SS1-3/4IN, LET " T"
SS1-3/4IN-U	CHAR, SS1-3/4IN, LET " U "

SS1IN	CHAR SET, SS 1IN, 111 PC
SS1IN--	CHAR, SS 1IN FIG "DASH"
SS1IN-"	SS1IN-"
SS1IN-%	SS1IN-%
SS1IN-/	CHAR, SS1IN, FIG /
SS1IN-0	CHAR, SS 1IN, FIG 0
SS1IN-1	CHAR, SS 1IN, FIG 1
SS1IN-2	CHAR, SS 1IN, FIG 2
SS1IN-3	CHAR, SS 1IN, FIG 3
SS1IN-4	CHAR, SS 1IN, FIG 4
SS1IN-5	CHAR, SS 1IN, FIG 5
SS1IN-6	CHAR, SS 1IN, FIG 6
SS1IN-7	CHAR, SS 1IN, FIG 7
SS1IN-8	CHAR, SS 1IN, FIG 8
SS1IN-9	CHAR, SS 1IN, FIG 9
SS1IN-A	CHAR, SS 1IN, LET A
SS1IN-AMP	CHAR, SS 1IN, FIG AMPERSAND
SS1IN-B	CHAR, SS 1IN, LET B
SS1IN-C	CHAR,SS 1IN LET C
SS1IN-COM	CHAR, SS1IN, FIG COMMA
SS1IN-D	CHAR, SS 1IN, LET D
SS1IN-DEG	SS1IN-DEG
SS1IN-E	CHAR, SS 1IN, LET E
SS1IN-F	CHAR,SS1IN, LET F
SS1IN-G	CHAR, SS 1IN LET G
SS1IN-H	CHAR, SS 1IN LET H
SS1IN-I	CHAR, SS 1IN LET I

SS1IN-J	CHAR,SS1IN LET J
SS1IN-K	CHAR, SS 1IN LET K
SS1IN-L	CHAR, SS1IN, LET L
SS1IN-M	CHAR, SS 1IN LET M
SS1IN-N	CHAR, SS 1IN, LET N
SS1IN-O	CHAR, SS 1IN, LET O
SS1IN-P	CHAR, SS 1IN LET P
SS1IN-PER	CHAR, SS 1IN FIG PERIOD
SS1IN-Q	CHAR,SS1IN,LET Q
SS1IN-R	CHAR,SS1IN, LET R
SS1IN-S	CHAR, SS 1IN, LET S
SS1IN-T	CHAR, SS 1IN LET T
SS1IN-U	CHAR,SS 1IN LET U
SS1IN-V	CHAR,SS 1IN LET V
SS1IN-W	CHAR, SS 1IN, LET W
SS1IN-X	CHAR, SS 1IN, LET X
SS1IN-Y	CHAR, SS 1IN FIG "Y"
SS1IN-Z	CHAR, SS 1IN, LET Z
SS2IN	CHAR SET, SS 2IN, 111 PC
SS2IN--	CHAR, SS 2IN, FIG DASH
SS2IN-"	CHAR, SS2IN, FIG "
SS2IN-%	CHAR, SS 2IN FIG "%"
SS2IN-/	CHAR, SS 2IN, FIG SLASH
SS2IN-0	CHAR, SS 2IN, FIG 0
SS2IN-1	CHAR, SS 2IN, FIG 1
SS2IN-2	CHAR, SS 2IN, FIG 2
SS2IN-3	CHAR, SS 2IN, FIG 3

SS2IN-4	CHAR, SS 2IN, FIG 4
SS2IN-5	CHAR, SS 2IN, FIG 5
SS2IN-6	CHAR, SS 2IN, FIG 6
SS2IN-7	CHAR, SS 2IN, FIG 7
SS2IN-8	CHAR, SS 2IN, FIG 8
SS2IN-9	CHAR, SS 2IN, FIG 9
SS2IN-A	CHAR, SS 2IN, LET A
SS2IN-AMP	CHAR, SS2IN, LET "AMP"
SS2IN-B	CHAR, SS 2IN, LET B
SS2IN-C	CHAR, SS 2IN, LET C
SS2IN-COM	CHAR, SS2IN, LET "COM"
SS2IN-D	CHAR, SS 2IN, LET D
SS2IN-DEG	CHAR, SS2IN, LET "DEG"
SS2IN-E	CHAR, SS 2IN, LET E
SS2IN-F	CHAR, SS 2IN, LET F
SS2IN-G	CHAR, SS 2IN, LET G
SS2IN-H	CHAR, SS 2IN, LET H
SS2IN-I	CHAR, SS 2IN, LET I
SS2IN-J	CHAR, SS 2IN, LET J
SS2IN-K	CHAR, SS 2IN, LET K
SS2IN-L	CHAR, SS 2IN, LET L
SS2IN-M	CHAR, SS 2IN, LET M
SS2IN-MM	CHAR, SS2IN, LET "MM"
SS2IN-N	CHAR, SS 2IN, LET N
SS2IN-O	CHAR, SS 2IN, LET O
SS2IN-P	CHAR, SS 2IN, LET P
SS2IN-PER	CHAR, SS 2IN, FIG PERIOD

SS2IN-Q	CHAR, SS2IN, LET "Q"
SS2IN-R	CHAR, SS 2IN, LET R
SS2IN-S	CHAR, SS 2IN, LET S
SS2IN-T	CHAR, SS 2IN, LET T
SS2IN-U	CHAR, SS 2IN, LET U
SS2IN-V	CHAR, SS 2IN, LET V
SS2IN-W	CHAR, SS 2IN, LET W
SS2IN-X	CHAR, SS 2IN, LET X
SS2IN-Y	CHAR, SS 2IN, LET Y
SS2IN-Z	CHAR, SS 2IN FIG "Z"
SS3/4IN	CHAR SET, SS 3/4IN 111 PC EGRA
SS3IN	CHAR SET, SS 3IN, 79 PC
SS3IN--	CHAR, SS 3IN, FIG DASH
SS3IN-"	CHAR, SS3IN, FIG "
SS3IN-#	CHAR, SS 3IN, POUND SIGN
SS3IN-%	CHAR, SS3IN, FIG %
SS3IN-/	CHAR, SS 3IN, FIG SLASH
SS3IN-0	CHAR, SS 3IN, FIG 0
SS3IN-1	CHAR, SS 3IN, FIG 1
SS3IN-2	CHAR, SS 3IN, FIG 2
SS3IN-3	CHAR, SS 3IN, FIG 3
SS3IN-4	CHAR, SS 3IN, FIG 4
SS3IN-5	CHAR, SS 3IN, FIG 5
SS3IN-6	CHAR, SS 3IN, FIG 6
SS3IN-7	CHAR, SS 3IN, FIG 7
SS3IN-8	CHAR, SS 3IN, FIG 8
SS3IN-9	CHAR, SS 3IN, FIG 9

SS3IN-A	CHAR, SS 3IN, LET A
SS3IN-AMP	CHAR, SS3IN, LET "AMP"
SS3IN-B	CHAR, SS 3IN, LET B
SS3IN-C	CHAR, SS3IN, LET "C"
SS3IN-COM	CHAR, SS3IN, LET "COM"
SS3IN-D	CHAR, SS 3IN, LET D
SS3IN-DEG	CHAR, SS3IN, LET "DEG"
SS3IN-E	CHAR, SS 3IN, LET E
SS3IN-F	CHAR, SS 3IN, LET F
SS3IN-G	CHAR, SS 3IN, LET G
SS3IN-H	CHAR, SS 3IN, LET H
SS3IN-I	CHAR, SS 3IN, LET I
SS3IN-J	CHAR, SS 3IN, LET J
SS3IN-K	CHAR, SS 3IN, LET K
SS3IN-L	CHAR, SS 3IN, LET L
SS3IN-M	CHAR, SS 3IN, LET M
SS3IN-MM	CHAR, SS3IN, LET "MM"
SS3IN-N	CHAR, SS 3IN, LET N
SS3IN-O	CHAR, SS3IN, LET "O"
SS3IN-P	CHAR, SS 3IN, LET P
SS3IN-PER	CHAR, SS3IN, LET "PER"
SS3IN-Q	CHAR, SS 3IN, LET Q
SS3IN-R	CHAR, SS3IN, LET R
SS3IN-S	CHAR, SS3IN, LET "S"
SS3IN-T	CHAR,SS 3IN,LET T
SS3IN-U	CHAR, SS 3IN, LET U
SS3IN-V	CHAR, SS 3IN, LET V

SS3IN-W	CHAR, SS3IN, LET "W"
SS3IN-X	CHAR, SS 3IN, LET X
SS3IN-Y	CHAR, SS 3IN, LET Y
SS3IN-Z	CHAR, SS 3IN, LET Z
SS4IN	CHAR SET, SS 4IN, 79 PC
SS4IN--	\
SS4IN-"	CHAR, SS4IN, FIG "
SS4IN-%	CHAR, SS4IN, FIG %
SS4IN-/	CHAR, SS4IN, FIG /
SS4IN-0	CHAR, SS 4IN, FIG 0
SS4IN-1	CHAR, SS 4IN, FIG 1
SS4IN-2	CHAR, SS 4IN, FIG 2
SS4IN-3	CHAR, SS 4IN, FIG 3
SS4IN-4	CHAR, SS 4IN, FIG 4
SS4IN-5	CHAR, SS 4IN, FIG 5
SS4IN-6	CHAR, SS 4IN, FIG 6
SS4IN-7	CHAR, SS 4IN, FIG 7
SS4IN-8	CHAR, SS 4IN, FIG 8
SS4IN-9	CHAR, SS4IN, FIG 9
SS4IN-A	CHAR, SS4IN, LET "A"
SS4IN-AMP	CHAR, SS4IN, LET "AMP"
SS4IN-B	CHAR, SS4IN, LET "B"
SS4IN-C	CHAR, SS4IN, LET "C"
SS4IN-COM	CHAR, SS4IN, LET "COM"
SS4IN-D	CHAR, SS4IN, LET "D"
SS4IN-DEG	CHAR, SS4IN, LET "DEG"
SS4IN-E	CHAR, SS4IN, LET "E"



SS4IN-F	CHAR, SS 4IN, LET F
SS4IN-G	CHAR, SS 4IN, LET G
SS4IN-H	CHAR, SS4IN, LET "H"
SS4IN-I	CHAR, SS4IN, LET "I"
SS4IN-J	CHAR, SS 4IN FIGURE "J"
SS4IN-K	CHAR, SS4IN, LET "K"
SS4IN-L	CHAR, SS4IN, LET "L"
SS4IN-M	CHAR, SS 4IN, LET M
SS4IN-MM	CHAR, SS4IN, LET "MM"
SS4IN-N	CHAR, SS4IN, LET "N"
SS4IN-O	CHAR, SS 4IN, LET O
SS4IN-P	CHAR, SS4IN, LET "P"
SS4IN-PER	CHAR, SS4IN, LET "PER"
SS4IN-Q	CHAR, SS4IN, LET "Q"
SS4IN-R	CHAR, SS 4IN, LET R
SS4IN-S	CHAR, SS 4IN, LET S
SS4IN-T	CHAR, SS 4IN, LET T
SS4IN-U	CHAR, SS4IN, LET "U"
SS4IN-V	CHAR, SS4IN, LET "V"
SS4IN-W	CHAR, SS4IN, LET "W"
SS4IN-X	CHAR, SS 4IN, LET X
SS4IN-Y	CHAR, SS 4IN, LET Y
SS4IN-Z	CHAR, SS4IN, LET "Z"
SS-BLANKET	BOARD, CUTTING SS (40" x 11.5")
SS-BLANKET	BOARD, CUTTING SS (40" x 11.5")
SS-MLR600MM-SET	RULES, LINING SS MAG (10/SET)
SS-MLW1530-SET	WEDGE, LINING SS MAG (10/SET)

SS-MLW3050-SET

WEDGE, LINING SS MAG (10/SET)

## **ABM Marking Services LTD**

2799 South Belt West Belleville, IL 62226

Voice: 618-277-3773

Fax: 618-277-3782

Email: [abm@abmmarking.com](mailto:abm@abmmarking.com)

Website: <http://www.abmmarking.com/>